GLC Products

1-800-595-4452



Industrial Products Catalog

January 2016

Fax: 800-832-9452



Notes

1-01-2016

Email: sales@glcproducts.com

Website: glcproducts.com



Fax: 800-832-9452

Item	Page#	Marking paint	24
Teflon Tape	4	Marking Flags	24
Teflon USA	5	Marking Flags	25
Teflon Colors	6	Roll Flagging Ribbon	26
Compression Tape	7	Floor Marking Tape	27
Pipe Dope	8	Cable Ties	28
Gasket Lube	10	Anchors Concrete	29
3M Tapes	11	Anchors Hollow & Wall	29
Electrical Tape	11	Saws—All Blades	30
Pipe Wrap Tape	11	Bandsaw Blades	30
Masking	12	Hole Saws	31
Duct Tape	13	Hole Saws & Pilot Bits	31
Aluminum Foil Tape	15	Paint Markers	32
Box Sealing Tape	16	Extension Cords	33
Tape Dispensers	17	Air & Welding Hose	33
Pallet Wrap Hand	18	Pipe Wrenches	34
Pallet Wrap Machine	19	Channel Lock Pliers	35
Can & Bin Liners	19	8 p/c Screwdriver Set	36
Plastic Sheeting	20	38 p/c Duo Socket Set	36
Ziplock Bags	21	Rope & Tying Twine	37
Flat Plastic Bags	22	Rubber Straps	38
Barricade Tape	23	Ratchet Straps	39
Underground Tape	23	Tarps	40

Fax: 800-832-9452





TFE pipe joint tape - A grade of polytetrefluoroethylene (PTFE) pipe joint tape for sealing threaded pipe, valves, fittings, accessories and controls including those made from steel, galvanized and black iron, brass, copper, aluminum, stainless steel, glass, synthetic rubber, and all plastics. For all types of pipe carrying acids, solvents, alkalis, steam, hot and cold water, LP gas, natural gas, and almost every chemical For all threaded pipe, valves, and fittings. Blue & White snap ring container, 4mil thick,

Teflon Tape			
Part#	Description	Case Qty	Weight Each
TTC0250520	Teflon PTFE 1/4"x 520" White	100	0.021
TTC0500260	Teflon PTFE 1/2"x 260" White	500	0.026
TTC0500520	Teflon PTFE 1/2"x 520" White	500	0.030
TTC051296	Teflon PTFE 1/2"x 1296" White	250	0.088
TTC0750520	Teflon PTFE 3/4"x 520" White	350	0.054
TTC0751296	Teflon PTFE 3/4"x 1296" White	150	0.107
TTC1000520	Teflon PTFE 1"x 520" White	250	0.068
TTC1001296	Teflon PTFE 1"x 1296" White	150	0.107
TTC1500520	Teflon PTFE 1-1/2"x 520" White	150	0.093
TTC2000520	Teflon PTFE 2"x 520" White	150	0.107
Blue Color Teflon Tape			





High Density thicker, professional-grade tape in larger rolls. Seals threads effectively in more applications. No need for pipe dope. All purpose - use on iron, brass, copper, aluminum, stainless steel, galvanized steel, polyethylene, polypropylene, PVC, CPVC, ABS, Fiberglass and more. 4mil thick, Mil-Spec T-27730A

Part#	Description	Case Qty	Weight Each
TTCB0501368	Teflon PTFE 1/2"x 1368 Blue Seal HD	250	0.100
TTCB0751368	Teflon PTFE 3/4"x 1368 Blue Seal HD	150	0.165
TTBM0501429	Teflon PTFE 1/2"x1429 Blue Monster HD	135	0.107
TTBM0751429	Teflon PTFE 3/4"x1429 Blue Monster HD	108	0.179
High Density Teflon Tape			



High Density thicker, professional-grade tape in smaller rolls. Seals threads effectively in more applications. 4mil thick, Mil-Spec T-27730A

Part#	Description	Case Qty	Weight Each
TTCH0500520	Teflon PTFE 1/2"x 520" White .08 HD	Roll	500
TTCH0750520	Teflon PTFE 3/4"x 520" White .08 HD	Roll	350



Fax: 800-832-9452

USA Teflon Tape

USA TEFLON TAPE pipe joint tape - A grade of polytetrafluoroethylene (PTFE) pipe joint tape for sealing threaded pipe, White on White Snap ring container,4mil, **DuPont Registered**, Mil Spec T-27730A **Made In USA**



Part#	Description	Case Qty	Weight Each
TTU0250260	Teflon PTFE 1/4"x 260" White USA	144	0.035
TTU0500260	Teflon PTFE 1/2"x 260" White USA	144	0.049
TTU0500520	Teflon PTFE 1/2"x 520" White USA	144	0.076
TTU0501296	Teflon PTFE 1/2"x 1296" White USA	144	0.104
TTU0750260	Teflon PTFE 3/4"x 260" White USA	144	0.063
TTU0750520	Teflon PTFE 3/4"x 520" White USA	144	0.076
TTU0751296	Teflon PTFE 3/4"x 1296" White USA	144	0.146
TTU1000520	Teflon PTFE 1"x 520" White USA	144	0.090
TTU1001296	Teflon PTFE 1"x 1296" White USA	144	0.160

USA Teflon Tape Colors

YELLOW GAS LINE TEFLON THREAD SEAL TAPE

Designed for gas lines of all types... Natural gas, propane and butane lines. Meets gas company standards world wide. Full density (1.2) makes this the heaviest tape available. Seals threads easily and quickly with confidence. Has a temperature range of -450F to +550F. Exceeds Mil. Spec. T-27730A <u>UL Listed</u>

PINK PLUMBERS TEFLON THREAD SEAL TAPE

For plumbers and pipe fitters. Colors coded pink to signify this is heavier than standard white thread seal tapes. A premium high density tape. Ensures leak free joints. Temperature range of -450F to +550F. Mil Spec. T-27730A <u>UL Listed</u>

GREEN OXYGEN TEFLON THREAD SEAL TAPE

Color coded green for oxygen applications. Grease free, density of 1.2. This is the tape for all your oxygen lines. Will not support combustion. Temperature range of -450F to +550F. Exceeds Mil. Spec. T-27730A <u>UL Listed</u>

GRAY STAINLESS STEEL TEFLON-THREAD SEAL TAPE

This tape has nickel pigment color added for use on all stainless steel fittings. Prevents galling, seizing or corrosion. A high density rating, this is the tape for coarse stainless steel threads. Also carries a temperature range of -450F to



Part#	Description	Case Qty	Weight Each
TTUG0500260	Teflon PTFE 1/2"x 260" Green Oxygen USA HD	144	0.049
TTUP0500260	Teflon PTFE 1/2"x 260" Pink USA HD	144	0.049
TTUP0750260	Teflon PTFE 3/4"x 260" Pink USA HD	144	0.069
TTUSS0500260	Teflon PTFE 1/2"x 260" Gray Stainless USA HD	144	0.049
TTUSS0750260	Teflon PTFE 3/4"x 260" Gray Stainless USA HD	144	0.069
TTUY0500260	Teflon PTFE 1/2"x 260" Yellow Gas UL USA HD	144	0.049
TTUY0750260	Teflon PTFE 3/4"x 260" Yellow Gas UL USA HD	144	0.069
TTUY1000260	Teflon PTFE 1"x 260" Yellow Gas UL USA HD	144	0.069

Fax: 800-832-9452



Teflon Tape Colors



YELLOW GAS LINE TEFLON THREAD SEAL TAPE

Designed for gas lines of all types... Natural gas, propane and butane lines. Meets gas company standards world wide. Full density (1.2) makes this the heaviest tape available. Seals threads easily and quickly with confidence. Has a temperature range of -450F to +550F. Exceeds Mil. Spec. T-27730A <u>UL Listed</u> **PINK PLUMBERS TEFLON THREAD SEAL TAPE**

For plumbers and pipe fitters. Colors coded pink to signify this is heavier than standard white thread seal tapes. A premium high density tape. Ensures leak free joints. Temperature range of -450F to +550F. Mil Spec. T-27730A UL Listed

GREEN OXYGEN TEFLON THREAD SEAL TAPE

Color coded green for oxygen applications. Grease free, density of 1.2. This is the tape for all your oxygen lines. Will not support combustion. Temperature range of -450F to +550F. Exceeds Mil. Spec. T-27730A

Part#	Description	Case Qty	Weight Each
TTCG0500260	Teflon PTFE 1/2"x 260" Green Oxygen UL HD	500	0.052
TTCG0500520	Teflon PTFE 1/2"x 520" Green Oxygen UL HD	500	0.056
TTCG0750520	Teflon PTFE 3/4"x 520" Green Oxygen UL HD	350	0.094
TTCP0500260	Teflon PTFE 1/2"x 260" Pink .08 HD	500	0.042
TTCY0500260	Teflon PTFE 1/2"x 260" Yellow Gas UL HD	500	0.042
TTCY0500520	Teflon PTFE 1/2"x 520" Yellow Gas UL HD	500	0.056
TTCY0750520	Teflon PTFE 3/4"x 520" Yellow Gas UL HD	350	0.094
TTIY0750260	Teflon PTFE 3/4"x 260" Yellow Gas UL HD	350	0.063

Special High Temp Teflon Tape



Poly-Temp® Copper Tape is used for cleaner, high-temp, threaded, anti-seize applications. Reduces required torque, applies easily, seals tightly, overcomes high-temp seizing.

Copper, Ceramic and Nickel impregnated tapes.

Part#	Description	Case Qty	Weight Each
TTXTCP050600	Teflon PTFE 1/2"x 600" Copper Extra HD 1800°F	10	0.200
TTXTCP075600	Teflon PTFE 3/4"x 600" Copper Extra HD 1800°F	6	0.333
TTXTCR050600	Teflon PTFE 1/2"x 600" Ceramic Extra HD	10	0.200
TTXTCR075600	Teflon PTFE 3/4"x 600" Ceramic Extra HD	6	0.333
TTXTSS050260	Teflon PTFE 1/2"x 260" Nickel Extra HD	10	0.200
TTXTSS050600	Teflon PTFE 1/2"x 600" Nickel Extra HD	10	0.200
TTXTSS075600	Teflon PTFE 3/4"x 600" Nickel Extra HD	6	0.333

1-01-2016 Email: sales@glcproducts.com Website: glcproducts.com



Fax: 800-832-9452

Teflon Joint Sealant

Uni Seal is a joint sealant manufactured from 100% expanded PTFE and combined with a self-adhesive strip for easy installation. Thanks to its unique properties, it can be compressed into a thin wide ribbon which conforms to all surface irregularities; leaving a strong, inert, tough and universal sealant which resists high temperatures, pressures and corrosive environments



Part#	Description	Case Qty	Weight Each
TTJS0125100	Joint Sealant 1/8"x 100' Expanded PTFE 3000psi 600°F	12	0.083
TTJS0187075	Joint Sealant 3/16"x 75' Expanded PTFE 3000psi 600°F	12	0.083
TTJS0250050	Joint Sealant 1/4"x 50' Expanded PTFE 3000psi 600°F	12	0.083
TTJS0375025	Joint Sealant 3/8"x 25' Expanded PTFE 3000psi 600°F	12	0.083
TTJS0500015	Joint Sealant 1/2"x 15' Expanded PTFE 3000psi 600°F	6	0.167
TTJS0625015	Joint Sealant 5/8"x 15' Expanded PTFE 3000psi 600°F	6	0.167
TTJS0750015	Joint Sealant 3/4"x 15' Expanded PTFE 3000psi 600°F	6	0.167
TTJS1000015	Joint Sealant 1"x 15' Expanded PTFE 3000psi 600°F	6	0.167

Teflon Joint Sealant String

PTFE valve stem packing is a self forming packing material. It forms to all surface irregularities such as scratches and pits. It is made from 100% virgin PTFE and has a high tensile strength. It is self lubricating and eliminates valve stem wear. It contains no contaminates and is unaffected by most common chemicals. The temperature range is -450F to +550F.



Part#	Description	Case Qty	Weight Each
TTTC332024	Valve Packing 3/32" x 24" 100% PTFE	50	0.083
TTTC332024G	Valve Packing 3/32"x 24' Graphite PTFE 500 Psi 400°F	50	0.083

Compression Seal tape

Blue Monster Compression Seal Tape contains no adhesive. This tape seals by compression, so pulling the tape as tight as possible forms a chemical reaction that fuses the layers of tape into a mass of silicone. Once fused, the silicone mass forms a HD bond on the leak or connection that serves as an emergency or long-term repair.



Part#	Description	Case Qty	Weight Each
TTBM1000012	Compression Seal Tape 1"x 12' Blue Monster	10	0.083

Fax: 800-832-9452





TFE Pipe Thread Sealant with Teflon Superior Grade, HD Thread Sealant fortified with extra amount of Teflon and PTFE to insure a positive seal with less effort. Because of its unique solids content this product fills thread imperfections and provides leak-proof joints that seal for the life of

TFE Teflon Paste

Part#	Description	Case Qty	Weight Each
SLTFE03B	Pipe Sealant TFE 3oz w/Teflon Tube	48	.31
SLTFE08B	Pipe Sealant TFE 8oz w/Teflon	36	.94
SLTFE16B	Pipe Sealant TFE 16oz w/Teflon	24	1.77
SLTFE32	Pipe Sealant TFE 32oz w/Teflon	12	3.5
SLTFE32B	Pipe Sealant TFE 32oz w/Teflon Brush Top	12	3.5
SLTFEG01	Pipe Sealant TFE 1gal w/Teflon	4	14.25
SLTFEG05	Pipe Sealant TFE 5gal w/Teflon	1	45
SLTFEG55	Pipe Sealant TFE 55gal w/Teflon	1	800

Power Seal Plus Teflon Paste



SLPS32BT

SLPS32MC

Part#

Power Seal Pipe Thread Sealant with Teflon. Specially formulated for the fire sprinkler industry for use on all threaded connections. Safe to use on systems using glycols. Lubrizol Approved for use on Blazemaster®, FlowGuard Gold®, and Corzan® CPVC Piping Systems. Meets Federal Specification

STEM COMPATIBLE

SYSTEM COMPATIBLE

Description Case Qty Weight Each Pipe Sealant Power Seal 32oz CPVC Approved w/Teflon Brush Top 12 3.5 Pipe Sealant Power Seal 32oz CPVC Approved w/Teflon Metal Can 12 3.5 14

SLPSG01 Pipe Sealant Power Seal 1gal CPVC Approved w/Teflon SLPSG05 Pipe Sealant Power Seal 5gal CPVC Approved w/Teflon 1 42 SLPSG55 Pipe Sealant Power Seal 55gal CPVC Approved w/Teflon 755

Slick-On Gold Teflon Paste



SLICKON® GTS GOLD™ is engineered and tested to be FBC™ system compatible with FlowGuard Gold®, Corzan®, and BlazeMaster® pipe and fittings. General purpose use, paste consistency, heavy-duty, thread-sealing compound. Contains no solvents or other ingredients that

Part#	Description	Case Qty	Weight Each
SLGTS32	Pipe Sealant GTS Gold 32oz CPVC Approved	12	3.33
SLGTS32B	Pipe Sealant GTS Gold 32oz CPVC Approved Brush Top	12	3.33
SLGTSG05	Pipe Sealant GTS Gold 5gal CPVC Approved	1	42



Fax: 800-832-9452

Rector Seal True Blue Teflon Paste

Rector Seal® Tru-Blu[™] pipe thread sealant with PTFE is a fast-dry, flexible set thread sealant designed for high vibration environments such as refrigeration and industrial applications.



Part#	Description	Case Qty	Weight Each
SLTB86289	Pipe Sealant with Teflon Rector Seal TRU Blue 8oz	48	.97
SLTB8629016B	Pipe Sealant with Teflon Rector Seal TRU Blue 16oz	36	1.84

Rector Seal 5 Paste

Rector Seal® No. 5® pipe thread sealant is a soft-set, slow drying compound which seals, lubricates, and protects



Part#	Description	Case Qty	Weight Each
SLR586291	Pipe Sealant Rector Seal NO. 5 4oz	48	.49
SLR586292	Pipe Sealant Rector Seal NO. 5 8oz	48	.97
SLR586293	Pipe Sealant Rector Seal NO. 5 16oz	36	1.84

Blue Monster Teflon Paste

Blue Monster Industrial Grade PTFE enriched Pipe Thread Compound is formulated for extra lubrication on metal pipe threads. It is a slow-drying, soft-setting, non-hardening pipe thread compound.



Part#	Description	Case Qty	Weight Each
SLBM76003	Thread Sealant Blue Monster 8oz with PTFE	24	.96
SLBM76005	Thread Sealant Blue Monster 16oz with PTFE	12	1.84

Anaerobic Teflon Pipe Sealant

Anaerobic Paste SAF-T-LOK® TPS PTFE Pipe Sealant cures on black iron, galvanized and stainless steel pipe as well as monel and on other inactive metals. TPS provides an excellent seal on tapered pipe joints, and when fully cured, locks joints against vibration, forming a non-shrinking seal against



Part#	Description	Case Qty	Weight Each
SLAPS250	Pipe Sealant Super Paste 250ml Anaerobic w/Teflon Tube	12	1
SLAPS750	Pipe Sealant Super Paste 750ml Anaerobic w/Teflon Friction Top	10	2.85
SLAPS07	Pipe Sealant Super Paste 7 Liter Anaerobic w/Teflon 2.5 gal Pail	1	26

Fax: 800-832-9452



Pipe Cement Glue



Weld-On® cements have the widest range of high-strength, In Regular, medium, heavy and extra heavy bodied cements. For PVC pipe in virtually every schedule and in size from 1/2" to 30" diameter. Use with potable


Part#	Description	Case Qty	Weight Each
PAS86209	4oz PVC Cement Weld-On 704	24	
PAS86210	8oz PVC Cement Weld-On 704	24	
PAS86211	16oz PVC Cement Weld-On 704	12	
PAS86212	32oz PVC Cement Weld-On 704	12	
Part#	Description	Case Qty	Weight Each
PAS86213	8oz PVC Cement Weld-On 717	24	
PAS86214	16oz PVC Cement Weld-On 717	12	
PAS86215	32oz PVC Cement Weld-On 717	12	
Part#	Description	Case Qty	Weight Each
PAS86237	4oz CPVC Cement Weld-On - FlowGuard Gold	24	
PAS86238	8oz CPVC Cement Weld-On - FlowGuard Gold	24	
PAS86239	16oz CPVC Cement Weld-On - FlowGuard Gold	12	
PAS86240	32oz CPVC Cement Weld-On - FlowGuard Gold	12	

Joint & Gasket Lube



Pipe Joint and Gasket Lubricant is ideal for rubber gaskets on pipelines including PVC and soil pipes. It's a water-soluble lubricant aids in assembly of push-on type joints, ensures proper expansion, and correct fit. Listed with the Nasystem compatible

Part#	Description	Case Qty	Weight Each	
SLPL32E	Pipe Sealant Lube 32oz Pipe Joint & Gasket EZ-ON	12	2.17	
Pipe Dope Brushes				





Part#	Description	Case Qty	Weight Each
SUB600R	Round #7 Pipe Dope Brush 6" Long	144	0.04
SUB050F	1/2" Chip Brush Flat Wood Handle	144	0.021
SUB100F	1" Chip Brush Flat Wood Handle	144	0.03



Fax: 800-832-9452

3M Electrical Tapes

3M Scotch Super 33+ Electrical Tape UL listed 3/4"x 66 feet UL listed 7mil PVC Insulating Tape. Suitable for use at no more than 600 Volts and not more than 176 Fahrenheit.







Description	Case Qty	Weight Each
3M Electrical Tape 3/4"x 66' #33+ Black	100	0.39
3M Electrical Tape 3/4"x 66' #88 Black	100	0.39
3M Electrical Tape 2"x 108' 88+ Black	12	2.33
3M Splicing Tape 3/4"x 30' 130C Rubber Splicing	24	0.33
3M Splicing Tape 1"x 30' 130C Rubber	24	0.44
3M Cambric Tape 3/4"x 60' #2520	20	0.30
3M Scotch-Kote Electrical Coating 15oz	12	1.25
	3M Electrical Tape 3/4"x 66' #33+ Black 3M Electrical Tape 3/4"x 66' #88 Black 3M Electrical Tape 2"x 108' 88+ Black 3M Splicing Tape 3/4"x 30' 130C Rubber Splicing 3M Splicing Tape 1"x 30' 130C Rubber 3M Cambric Tape 3/4"x 60' #2520	3M Electrical Tape 3/4"x 66' #33+ Black 100 3M Electrical Tape 3/4"x 66' #88 Black 100 3M Electrical Tape 2"x 108' 88+ Black 12 3M Splicing Tape 3/4"x 30' 130C Rubber Splicing 24 3M Splicing Tape 1"x 30' 130C Rubber 24 3M Cambric Tape 3/4"x 60' #2520 20





Electrical Tapes

Electrical Tape UL listed—3/4"x 60 feet UL listed 7mil PVC Insulating Tape. Suitable for use at no more than 600 Volts and not more than 176 Fahrenheit.






Part#	Description	Case Qty	Weight Each
TPE075060ET	Electrical Tape 3/4"x 60' UL Listed	360	0.2
TPE200060ET	Electrical Tape 2"x 60' UL Listed	100	0.66
TPE075060BL	Electrical Tape 3/4"x 60' Blue UL Listed	200	0.2
TPE075060BR	Electrical Tape 3/4"x 60' Brown UL Listed	200	0.2
TPE075060GR	Electrical Tape 3/4"x 60' Green UL Listed	200	0.2
TPE075060GY	Electrical Tape 3/4"x 60' Gray UL Listed	200	0.2
TPE075060OR	Electrical Tape 3/4"x 60' Orange UL Listed	200	0.2
TPE075060PU	Electrical Tape 3/4"x 60' Purple UL Listed	200	0.2
TPE075060RD	Electrical Tape 3/4"x 60' Red UL Listed	200	0.2
TPE075060WH	Electrical Tape 3/4"x 60' White UL Listed	200	0.2
TPE075060YL	Electrical Tape 3/4"x 60' Yellow UL Listed	200	0.2

Pipe Wrap Tapes

PIPE WRAP TAPE High quality PVC tape used underground to wrap pipe. Adhesive stays tacky when used in wet Application. Stocked in both 10 mil





Fax: 800-832-9452



Masking Tapes



Masking Tape - Utility Grade tape For non-critical applications. Coated with an aggressive "solvent less" synthetic adhesive. Natural Color.



Blue Premium Painters Grade: 14 Day Clean Removal Masking Tape Crepe (FSC) backed pressure sensitive tape with a specially formulated adhesive designed for direct exposure to sunlight up to fourteen days. Easy / clean removal.

Orange Mask™ is a high performance masking tape developed for applications where conformability and clean removal is required. Crisp paint lines. UV



Part#	Description	Box Qty	Weight Each
TM075060	Tape Masking 3/4"x 60yd General Purpose	48	0.25
TM100060	Tape Masking 1"x 60yd General Purpose	36	0.33
TM200060	Tape Masking 2"x 60yd General Purpose	24	0.75
TM100060BL	Tape Masking 1"x 60yd Blue Premium	36	0.33
TM150060BL	Tape Masking 1-1/2"x 60yd Blue Premium	24	0.67
TM200060BL	Tape Masking 2"x 60yd Blue Premium	24	0.75
TM150060OR	Orange Mask 1-1/2"x 60yd High Temp Premium Masking Tape	24	0.67

Double Coated Tapes



Golf grip replacement and repair, photograph mounting, carpet installation, textile manufacturing ("twister room"), steel-rule die (make-ready), and any

Part#	Description	Box Qty	Weight Each
TMDC05060P	Tape Masking 1/2"x 36yd Double Coated #591	72	0.24
TMDC07560P	Tape Masking 3/4"x 36yd Double Coated #591	48	0.35

Filament Strapping Tapes



Reinforced Filament Tape - Utility Grade-110# Tensile RG300 Utility grade tape designed for non-critical light duty packaging and strapping.

Premium Grade-300# RG-316 High tensile general purpose tape for medium



12

Part#	Description	Box Qty	Weight Each
TF075601	Tape Strapping 3/4"x 60yd Filament 110lb BOPP	48	0.27
TF100601	Tape Strapping 1"x 60yd Filament 110lb BOPP	36	0.33
TF200601	Tape Strapping 2"x 60yd Filament 110lb BOPP	24	0.67
TF075603H	Tape Strapping 3/4"x 60yd Filament 300lb High Strength BOPP	48	0.35



Fax: 800-832-9452

9mil Duct Tape

All Purpose Duct Tape 9mil Thick with a high tack adhesive, 100% Poly/Cotton cloth fibers. Very easy to unwind, tears easily, adheres to most surfaces. Extremely versatile tape and is perfect for most tasks. Made in USA



Part#	Description	Box Qty	Weight Each
TDT10GRY200	Tape Duct 2"x 60yd Grey P/N	24	1.5
TDT10GRY300	Tape Duct 3"x 60yd Grey P/N	16	2.25
TDT10GRY400	Tape Duct 4"x 60yd Grey P/N	12	3
TDT10GRY600	Tape Duct 6"x 60yd Grey P/N *** Special Order ***	8	4.5
TDT10BLK200	Tape Duct 2"x 60yd Black P/N	24	1.5
TDT10BLK300	Tape Duct 3"x 60yd Black P/N	16	2.25
TDT10RED200	Tape Duct 2"x 60yd Red P/N	24	1.5
TDT10WHT200	Tape Duct 2"x 60yd White P/N	24	1.5
	11mil Duct Tano		

11mil Duct Tape

Industrial Grade Duct Tape 11mil Thick High quality polyethylene coated cloth tape. Conforms well to irregular surfaces. Adheres to a wide variety of surfaces. Tears straight, hangs straight, curl resistant. Easy unwind. High quality maintenance tape in a variety of manufacturing environments. Made in USA



Part#	Description	Box Qty	Weight Each
TDT11GRY200	Tape Duct 2" Grey Nashua 398	36	1.63
TDT11GRY400	Tape Duct 4"x 60yd Grey Nashua 398 *** Special Order ***	12	3.83
TDT11GRY600	Tape Duct 6"x 60yd Grey Nashua 398 *** Special Order ***	8	5.75

14mil Duct Tape

Premium Grade Duct Tape 14mil Thick Superior tensile strength. Clean release resists delamination. Tears straight, hangs straight, curl resistant. Exceptional high adhesion strength. Outstanding performance over a wide range of temperatures. Preferred by professional contractors who demand a consistent,



Part#	Description		Box Qty	Weight Each
TDT13GRY200	Tape Duct 2"x 60yd Grey Nashua 357		24	2.25
TDT13GRY300	Tape Duct 3"x 60yd Grey Nashua 357	*** Special Order ***	16	3.38
TDT13GRY400	Tape Duct 4"x 60yd Grey Nashua 357	*** Special Order ***	24	4.5
TDT13OD200	Tape Duct 2"x 60yd Olive Drab Nashua 357	*** Special Order ***	24	2.25
TDT13OD300	Tape Duct 3"x 60yd Olive Drab Nashua 357	*** Special Order ***	16	3.38
TDT13OD400	Tape Duct 4"x 60yd Olive Drab Nashua 357	*** Special Order ***	12	4.5

Fax: 800-832-9452



9mil AC20 Duct Tape



AC-20 9 mil All-purpose duct tape perfect for general maintenance applications such as wrapping & sealing, weather proofing, binding and bundling. Aggressive natural rubber adhesive adheres well to a wide variety of surfaces and offers a broad temperature range. Made in USA

TDTAC20260G Tape Duct 2"x 60yd Grey Intertape AC20	24	1.42
TDTAC20260B Tape Duct 2"x 60yd Black Intertape AC20	24	1.42
TDTAC20260W Tape Duct 2"x 60yd White Intertape AC20	24	1.42

14mil AC50 Duct Tape



AC-50 UL 14 mil polyethylene coated high strength cloth with a scientifically designed aggressive adhesive to meet the stringent requirements of the HVAC contractor. Listed by Underwriter's Laboratories (UL) and conforms to all code

Part#	Description	Box Qty	Weight Each
TDTAC57260GY	Tape Duct 2"x 60yd Grey Intertape AC50 UL	24	2.25
TDTAC57260BK	Tape Duct 2"x 60yd Black Intertape AC50 UL	24	2.25

Iron Grip 17mil Duct Tape



AC-617 17 mil Premium IRON GRIP duct tape designed to meet demanding applications. For temporary patching of utility access holes, taping of ductwork, and a variety of HD applications requiring high strength and adhesion. Tested in ac-

Part#	Description	Box Qty	Weight Each
TDTAC617260B	Tape Duct 2"x 35yd Black Intertape IRON GRIP AC617	12	1.67

Web Spray



AC-50 Web spray adhesive; 21 fl oz, 15 net oz

Part#	Description	Box Qty	Weight Each
TD24WEBAC50	Web Spray Adhesive AC50 17oz	12	1.42



Fax: 800-832-9452

Aluminum Foil Printed Tape

UL181A-P and UL181B-FX Foil Tape 1581A is a 2.0 mil High temperature; high tensile strength aluminum foil coated with an extremely aggressive all weather solvent adhesive. Foil applies easily to both fibrous and sheet metal ducts on flat and irregular surfaces.



Part#	Description	Box Qty	Weight Each
THAF25060UL	Aluminum Foil 2.5"x 60yd UL-181A Printed	20	2.15

Aluminum Foil Tape

Foil Insulation Tape 1520CW COLD WEATHER FOIL is an aluminum foil coated with cold weather adhesive. The malleable foil applies easily to both fibrous and sheet metal ducts and conforms to irregular surfaces.1520CW excels in demanding temperature and humidity applications and provides superior performance



Part#	Description	Box Qty	Weight Each
THAF20050	Aluminum Foil 2"x 50yd 2mil	24	1.25

FSK Foil Tape

FSK Insulation Tape 1525CW COLD WEATHER FSK is a 5.0 mil Foil/Scrim/Kraft (FSK) lamination coated with cold weather pressure sensitive adhesive. Versatile FSK applies easily to both fibrous and sheet metal ducts and easily conforms to irregular surfaces. Performance and durability over a wide range of environ-



Part#	Description	Box Qty	Weight Each
THAF20050	Aluminum Foil 2"x 50yd 2mil	24	1.25

Duct Closure Tapes


UL181B-FX Flexible Duct Closure Tape 1599B is UV resistant polypropylene (PP) tape coated with a cold weather adhesive. Hand tear able, thinner and tougher than traditional duct tapes, 1599B lasts longer and will not delaminate with age. 1599B provides easy application and superior performance and durability over a



Part#	Description	Box Qty	Weight Each
THFD200120UL	2"x 120yd Silver Flexible Duct Closure UL181B-FX Printed	24	1
THFD300120UL	3"x 120yd Silver Flexible Duct Closure UL181B-FX Printed	16	1.56

Fax: 800-832-9452







Box Sealing Tape acrylic adhesive tape clings well and has superb clarity. This tape will not yellow and offers outstanding performance in all temperature extremes. From hot Southern humidity to freezing Northern cold, our tapes work well in all climates. Tough, impact resistant Bi-Oxy Poly Propylene film, with acrylic adhesive system, makes this an aggressive carton sealing tape.

Part#	Description	Box Qty	Weight Each
TBHA220C0110TA	Tape Box Sealing 2"x 110yd Clear Acrylic 2mil	36	0.5
TBHA224C0110TA	Tape Box Sealing 2"x 110yd Clear Acrylic 2.5mil	36	0.56
Part#	Description	Box Qty	Weight Each
TBHA320C0110	Tape Box Sealing 3"x 110yd Clear Acrylic 2mil	24	1.08
TBHA328C0110	Tape Box Sealing 3"x 110yd Clear Acrylic 3mil	24	1.08
Part#	Description	Box Qty	Weight Each
TBHA220W0110TA	Tape Box Sealing 2"x 110yd White Acrylic 2mil	36	0.5

Hot Melt Hand Box Seal Tape



Clear Hot Melt Rubber Based adhesive tape clings well and has superb clarity. This tape offers outstanding performance in all temperature extremes. From hot Southern humidity to freezing Northern cold, our tapes work well in all climates. Tough, impact resistant BOPP film, with Hot Melt Rubber Based adhesive.

Part#	Description	Box Qty	Weight Each
TBHH219C0110	Tape Box Sealing 2"x 110yd Clear Hot Melt 1.9mil # 7100	36	0.5
TBHH224C0110	Tape Box Sealing 2"x 110yd Clear Hot Melt 2.4mil # 8100	36	0.58
TBHH231C0055	Tape Box Sealing 2"x 55yd Clear Hot Melt 3.1mil # 1100	36	0.58
Part#	Description	Box Qty	Weight Each
TBHH319C0110	Tape Box Sealing 3"x 110yd Clear Hot Melt 1.9mil # 7100	24	0.75

Natural Rubber Hand Box Seal Tape



Natural Rubber Based adhesive tape clings well and has superb clarity. This tape offers outstanding performance in all temperature extremes. Tough, impact resistant BOPP film, with Natural Rubber Based adhesive.

Part#	Description	Box Qty	Weight Each
TBHR220C0110	Tape Box Sealing 2"x 110yd Clear Rubber 2mil # 500	36	0.61
TBHR220W0110	Tape Box Sealing 2"x 110yd White Rubber 2mil # 500	36	0.61
Part#	Description	Box Qty	Weight Each
Part# TBHR320C0110	Description Tape Box Sealing 3"x 110yd Clear Rubber 2mil # 500	Box Qty 24	Weight Each 0.92

16 1-01-2016 Email: sales@glcproducts.com Website: glcproducts.com



Tape Guns & Shipping Envelopes

Printed Message Tape

Printed message tape with cautionary messages to bring attention to your packages. Premium Clear or White tape with red print to help prevent Pilfer of packages. 2 mil Acrylic Adhesive Tape

FRAGILE HANDLE WITH CARE





Part#	Description	Box Qty	Weight Each	
TBHA220P0110FRC	Tape Box Sealing 2"x 110yd "Fragile" Clear Acrylic 2mil	36	0.5	
TBHA220P0110FRW	Tape Box Sealing 2"x 110yd "Fragile" White Acrylic 2mil	36	0.5	
TBHA220P0110SCW	Tape Box Sealing 2"x 110yd "Security Closure" White Acrylic 2mil	36	0.5	
TBHA220P0110STW	Tape Box Sealing 2"x 110yd "Stop Check Contents" White Acrylic 2mil	36	0.5	
Tape Dispensers				

TG19 Spring Brake Arm holds the roll in place while applying constant tension. The unwind is smooth and even, Tension is automatically

TG20's Features an Adjustable Brake Dial on 3" wheel, Tape slides onto wheel, Use Brake dial to adjust tension of tape release.

Part#	Description	Box Qty	Weight Each
PP1TG05	Tape Gun 1" Dispenser Filament	12	0.08
PP2TG19	Tape Gun 2" Spring Brake	20	0.05
PP2TG20	Tape Gun 2" Adjustable Brake	12	0.08
PP2TG70	Tape Gun 2" Metal Clam Type	12	0.08
PP3TG20	Tape Gun 3" Adjustable Brake	12	0.17



Packing Slip Envelopes

Packing list envelope with self-adhesive back with protective liner attaches securely. Printed on front of envelope. Helps protects



Part#	Description	Case Qty	Weight Each
PPPLE0405	Envelopes "Packing List Enclosed" 4-1/2"x 5-1/2" 1000ct	1	0.08
PPPLE0510	Envelopes "Packing List Enclosed" 5-1/2"x 10" 1000ct	1	0.05
PPPLE0705MS	Envelopes "Material Safety Data Sheet" 7"x 5-1/2" 1000ct	1	0.08

Packing Slip Envelopes

Poly Mailers. Puncture and tear resistant. Mailer is white and the inner lining is silver. High strength seams will keep contents intact even if over packed.

Part#	Description	Case Qty	Weight Each
PPJIFFYST5	Envelopes Poly Mailers #5 14-1/2"x 19" 500ct	1	0.08
PPJIFFYST6	Envelopes Poly Mailers #6 19"x 24" 200ct	1	0.17



More sizes available

Fax: 800-832-9452



Hand Pallet Wrap



Hand pallet wrap with excellent cling, smooth quiet release off roll, exceptional clarity and puncture resistances.

Part#	Description	Pallet Qty	Weight Each
PWH18120PR	Hand Pallet Wrap 18" 12mic 1500' Prolite High Performance	4	5.07
PWH18178HF	Hand Pallet Wrap 18" 70ga 1500' HWIV Cast	192	7.56
PWH18203H	Hand Pallet Wrap 18" 80ga 1500' HWIV Cast	192	8.64
PWH18229HF	Hand Pallet Wrap 18" 90ga 1500' HWIV Cast	4	9.72
-03			

Extended Core Hand Pallet Wrap

Part#	Description	Box Qty	Weight Each
PWH20203E	Hand Pallet Wrap 20" 80ga 1000' Extended Core	4	6.75

Bundling Film



Bundling Stretch Film Narrow width stretch film bundles small light weight products for shipping faster and more economically than tape, strapping or twine. Stretch film clings to it self and will not leave residue on products.

Part#	Description	Box Qty	Weight Each
PWBF3120	Bundling Film 3" 115ga 700' 18ct	1	18
PWBF3120E	Bundling Film 3" 115ga 700' 18ct Extended Core	1	18
PWBF5120E	Bundling Film 5" 115ga 700' 12ct Extended Core	1	18
PWBF5150E	Bundling Film 5" 150ga 600' 12ct Extended Core	1	18

Bundling Film

Pallet Netting Strong knit netting provides excellent load-stability Slight stretch. For products that form condensation, fresh produce that needs to breathe or palletized products that need to cure and cool down in a timely manner.

Part#	Description	Pallet Qty	Weight Each
PWNET2003000	Hand Pallet Netting 20" 3000'	55	10
PWNET2010000	Machine Pallet Netting 20" 10000'	36	33
PWNET3010000	Machine Pallet Netting 30" 10000'	38	33



Fax: 800-832-9452

Machine Pallet Wrap & Can Liners

Machine Pallet Film H1

Excellent load retention lets you wrap your load with less film and feel confident your product will arrive safely. Exceptional puncture and tear resistance Metallocene resins offer maximum performance and strength. Higher applied pre-stretch up to 250%. Separate cling layers provide "quiet unwind," and permitting a secure wipe



Part#	Description	Pallet Qty	Weight Each
PWM20070H1	Machine Wrap 20" 70ga 6000' 250% Cast	40	33.60
PWM20075H1	Machine Wrap 20" 75ga 6000' 250% Cast	40	36.00
PWM20080H15	Machine Wrap 20" 80ga 250% Cast	40	32.00
PWM20080H1	Machine Wrap 20" 80ga 6000' 250% Cast	40	38.40
PWM20090H1	Machine Wrap 20" 90ga 5000' 250% Cast	40	36.00
PWM20100H12	Machine Wrap 20" 100ga 4500' 250% Cast	40	36.00
PWM20110H1	Machine Wrap 20" 110ga 4250' 250% Cast	40	37.40
PWM60075H1	Machine Wrap 60" 75ga 5000' 250% Cast	16	96.8

Can Liners

Linear Low Density Plastic Can Liner. Recommended for sharper objects under tougher transport conditions. Linear low density can liners have excellent resistance to punctures and tearing.



Part#	Description	Qty	Weight Each
PBL4325	Can Liner Clear 60gal .58mil 22 x 16 x 58 LLD 200ct	1	17
PBL4350	Can Liner Clear 60gal .78mil 22 x 16 x 58 LLD 200ct	1	23
PBL4230	Can Liner Black 60gal .78mil 22 x 16 x 58 LLD 200ct	1	23
PBL4375	Can Liner Clear 60gal .98mil 22 x 16 x 58 LLD 100ct	1	15
PBL4255	Can Liner Black 60gal .98mil 22 x 16 x 58 LLD 100ct	1	15

Large Plastic Bags

Pallet Covers Bin Liners. These Gusseted poly bags are made of 100% virgin Low Density Polyethylene (LDPE) resin that meets FDA/USDA specifications. Side gussets expand easily to fit over bulky or irregular size objects. Tubular construction with a durable bottom seal, make these bags the best on the market. Features superior clarity for showing the quality of your products.



Part#	Description	Box Qty	Weight Each
PCB10480	Pallet Cover Bag 48"x 36"x 72" Clear 2mil 80ct	1	61
PCB10510	Pallet Cover Bag 48"x 46"x 72" Clear 2mil 60ct	1	52
PCB10522	Pallet Cover Bag 51"x 49"x 73" Clear 2mil 55ct	1	51
PCB10525	Pallet Cover Bag 53"x 42"x 78" Clear 2mil 55ct	1	52
PCB10530	Pallet Cover Bag 54"x 44"x 72" Clear 2mil 60ct	1	54

Email: sales@glcproducts.com

Website: glcproducts.com

Fax: 800-832-9452





Plastic Sheeting Clear

Construction Film: Continuous roll of durable Polyethylene plastic. Use as a Vapor barrier or Drop cloth. Provides protection from weather, dust, and debris or just prying eyes.

Part#	Description	Box Qty	Weight Each
PS04380G	Plastic Sheeting 50" x 200' 2mil Clear Construction Visqueen	2	10
PS04385G	Plastic Sheeting 100" x 200' 2mil Clear Construction Visqueen	1	18
PS04390G	Plastic Sheeting 12' x 200' 2mil Clear Construction Visqueen	1	25
PS04395G	Plastic Sheeting 16' x 200' 2mil Clear Construction Visqueen	1	32
PS04405G	Plastic Sheeting 3'x 100' 4mil Clear Construction Visqueen	2	7
PS04410G	Plastic Sheeting 4'x 100' 4mil Clear Construction Visqueen	2	9
PS04415G	Plastic Sheeting 6'x 100' 4mil Clear Construction Visqueen	2	13
PS04420G	Plastic Sheeting 8'x 100' 4mil Clear Construction Visqueen	1	17
PS04425G	Plastic Sheeting 10'x 100' 4mil Clear Construction Visqueen	1	21
PS04430G	Plastic Sheeting 12'x 100' 4mil Clear Construction Visqueen	1	25
PS04440G	Plastic Sheeting 16'x 100' 4mil Clear Construction Visqueen	1	32
PS04445G	Plastic Sheeting 20'x 100' 4mil Clear Construction Visqueen	1	40
PS04450G	Plastic Sheeting 3'x 100' 6mil Clear Construction Visqueen	2	10
PS04452G	Plastic Sheeting 4'x 100' 6mil Clear Construction Visqueen	2	14
PS04455G	Plastic Sheeting 6'x 100' 6mil Clear Construction Visqueen	1	30
PS04460G	Plastic Sheeting 8'x 100' 6mil Clear Construction Visqueen	1	25
PS04465G	Plastic Sheeting 10'x 100' 6mil Clear Construction Visqueen	1	32
PS04480G	Plastic Sheeting 16'x 100' 6mil Clear Construction Visqueen	1	50
DSUVVBEC	Plastic Sheeting 20'x 100' 6mil Clear Construction Visqueen Plastic Sheeting Black	1	56

Construction Film: Continuous roll of durable Polyethylene plastic. Use as a Vapor barrier or Drop cloth. Provides protection from weather, dust, and debris or just prying eyes.

Part#	Description	Box Qty	Weight Each
PS11000	Plastic Sheeting 3'x 100' 4mil Black Construction Visqueen	2	7
PS11005	Plastic Sheeting 4'x 100' 4mil Black Construction Visqueen	2	9
PS11010	Plastic Sheeting 6'x 100' 4mil Black Construction Visqueen	1	13
PS11020	Plastic Sheeting 10'x 100' 4mil Black Construction Visqueen	1	21
PS11025	Plastic Sheeting 12'x 100' 4mil Black Construction Visqueen	1	24
PS11055	Plastic Sheeting 10'x 100' 6mil Black Construction Visqueen	1	30
PS11060	Plastic Sheeting 12'x 100' 6mil Black Construction Visqueen	1	35
PS11065	Plastic Sheeting 16'x 100' 6mil Black Construction Visqueen	1	48
PS11070	Plastic Sheeting 20'x 100' 6mil Black Construction Visqueen	1	58

20 1-01-2016 Email: sales@glcproducts.com Website: glcproducts.com



Fax: 800-832-9452

Zip Lock Plastic Bags

Reclosable poly bag is any bag manufactured with a standard zip track closure. Also known as Ziplock bags, resealable bags, zip lock plastic bags and secure bags. Resealable bags have a number of applications uses. Custom sizes available



More sizes & Thicknesses available

D		D .!!	
Part#	Description 2.0 Mil	Part#	Description 4.0 Mil
PBZ040620	Ziplock Bag 4"x 6" 2mil Clear 1000ct	PBZ020340	Ziplock Bag 2"x 3" 4mil Clear 1000ct
PBZ040720	Ziplock Bag 4"x 7" 2mil Clear 1000ct	PBZ0203401	Ziplock Bag 2.5"x 3" 4mil Clear 1000ct
PBZ040820	Ziplock Bag 4"x 8" 2mil Clear 1000ct	PBZ030340	Ziplock Bag 3"x 3" 4mil Clear 1000ct
PBZ050520	Ziplock Bag 5"x 5" 2mil Clear 1000ct	PBZ030440	Ziplock Bag 3"x 4" 4mil Clear 1000ct
PBZ050720	Ziplock Bag 5"x 7" 2mil Clear 1000ct	PBZ030540	Ziplock Bag 3"x 5" 4mil Clear 1000ct
PBZ050820	Ziplock Bag 5"x 8" 2mil Clear 1000ct	PBZ040440	Ziplock Bag 4"x 4" 4mil Clear 1000ct
PBZ051020	Ziplock Bag 5"x 10" 2mil Clear 1000ct	PBZ040640	Ziplock Bag 4"x 6" 4mil Clear 1000ct
PBZ051220	Ziplock Bag 5"x 12" 2mil Clear 1000ct	PBZ040840	Ziplock Bag 4"x 8" 4mil Clear 1000ct
PBZ060420	Ziplock Bag 6"x 4" 2mil Clear 1000ct	PBZ041040	Ziplock Bag 4"x 10" 4mil Clear 1000ct
PBZ060620	Ziplock Bag 6"x 6" 2mil Clear 1000ct	PBZ050840	Ziplock Bag 5"x 8" 4mil Clear 1000ct
PBZ060820	Ziplock Bag 6"x 8" 2mil Clear 1000ct	PBZ051240	Ziplock Bag 5"x 12" 4mil Clear 1000ct
PBZ060920	Ziplock Bag 6"x 9" 2mil Clear 1000ct	PBZ060640	Ziplock Bag 6"x 6" 4mil Clear 1000ct
PBZ061020	Ziplock Bag 6"x 10" 2mil Clear 1000ct	PBZ060840	Ziplock Bag 6"x 8" 4mil Clear 1000ct
PBZ061220	Ziplock Bag 6"x 12" 2mil Clear 1000ct	PBZ060940	Ziplock Bag 6"x 9" 4mil Clear 1000ct
PBZ080820	Ziplock Bag 8"x 8" 2mil Clear 1000ct	PBZ061040	Ziplock Bag 6"x 10" 4mil Clear 1000ct
PBZ081020	Ziplock Bag 8"x 10" 2mil Clear 1000ct	PBZ070940	Ziplock Bag 7"x 9" 4mil Clear 1000ct
PBZ081220	Ziplock Bag 8"x 12" 2mil Clear 1000ct	PBZ080840	Ziplock Bag 8"x 8" 4mil Clear 1000ct
PBZ091220	Ziplock Bag 9"x 12" 2mil Clear 1000ct	PBZ081040	Ziplock Bag 8"x 10" 4mil Clear 1000ct
PBZ101020	Ziplock Bag 10"x 10" 2mil Clear 1000ct	PBZ091240	Ziplock Bag 9"x 12" 4mil Clear 1000ct
PBZ101220	Ziplock Bag 10"x 12" 2mil Clear 1000ct	PBZ101040	Ziplock Bag 10"x 10" 4mil Clear 500ct
PBZ101320	Ziplock Bag 10"x 13" 2mil Clear 1000ct	PBZ101240	Ziplock Bag 10"x 12" 4mil Clear 500ct
PBZ121220	Ziplock Bag 12"x 12" 2mil Clear 1000ct	PBZ101340	Ziplock Bag 10"x 13" 4mil Clear 500ct
PBZ121520	Ziplock Bag 12"x 15" 2mil Clear 1000ct	PBZ121240	Ziplock Bag 12"x 12" 4mil Clear 500ct
PBZ131520	Ziplock Bag 13"x 15" 2mil Clear 1000ct	PBZ121540	Ziplock Bag 12"x 15" 4mil Clear 500ct
PBZ131820	Ziplock Bag 13"x 18" 2mil Clear 1000ct	PBZ131840	Ziplock Bag 13"x 18" 4mil Clear 500ct
PBZ182020	Ziplock Bag 18"x 20" 2mil Clear 500ct	PBZ142440	Ziplock Bag 14"x 24" 4mil Clear 250ct
PBZ182420	Ziplock Bag 18"x 24" 2mil Clear 500ct	PBZ182040	Ziplock Bag 18"x 20" 4mil Clear 250ct
PBZ161820	Ziplock Bag 16"x 18" 2mil Clear 1000ct	PBZ182440	Ziplock Bag 18"x 24" 4mil Clear 250ct
PBZ202420	Ziplock Bag 20"x 24" 2mil Clear 500ct	PBZ242440	Ziplock Bag 24"x 24" 4mil Clear 250ct

Plastic Bags Flat Case Pack

Tel: 800-595-4452

Fax: 800-832-9452



Plastic Bags



Lay Flat poly bags are made of 100% virgin Low Density Polyethylene (LDPE) resin that meets FDA/USDA specifications. Premium bag featuring superior clarity. Can be heat sealed, tied, stapled or taped shut.

More sizes & Thicknesses available

Part#	Description 1.25 Mil	Part#	Description 2.0 MII
PBF0406125	Flat Bag 4"x 6" 1.25mil Clear 1000ct	PBF141620	Flat Bag 14"x 16" 2mil Clear 1000ct
PBF0408125	Flat Bag 4"x 8" 1.25mil Clear 1000ct	PBF141820	Flat Bag 14"x 18" 2mil Clear 1000ct
PBF0507125	Flat Bag 5"x 7" 1.25mil Clear 1000ct	PBF144020	Flat Bag 14"x 40" 2mil Clear 500ct
PBF0508125	Flat Bag 5"x 8" 1.25mil Clear 1000ct	PBF142020	Flat Bag 14"x 20" 2mil Clear 1000ct
PBF0510125	Flat Bag 5"x 10" 1.25mil Clear 1000ct	PBF142420	Flat Bag 14"x 24" 2mil Clear 1000ct
PBF0608125	Flat Bag 6"x 8" 1.25mil Clear 1000ct	PBF143020	Flat Bag 14"x 30" 2mil Clear 500ct
PBF0609125	Flat Bag 6"x 9" 1.25mil Clear 1000ct	PBF143620	Flat Bag 14"x 36" 2mil Clear 500ct
PBF0612125	Flat Bag 6"x 12" 1.25mil Clear 1000ct	PBF161620	Flat Bag 16"x 16" 2mil Clear 1000ct
PBF0810125	Flat Bag 8"x 10" 1.25mil Clear 1000ct	PBF161820	Flat Bag 16"x 18" 2mil Clear 1000ct
PBF0812125	Flat Bag 8"x 12" 1.25mil Clear 1000ct	PBF151520	Flat Bag 15"x 15" 2mil Clear 1000ct
PBF0912125	Flat Bag 9"x 12" 1.25mil Clear 1000ct	PBF151820	Flat Bag 15"x 18" 2mil Clear 1000ct
PBF1012125	Flat Bag 10"x 12" 1.25mil Clear 1000ct	PBF152020	Flat Bag 15"x 20" 2mil Clear 1000ct
PBF1014125	Flat Bag 10"x 14" 1.25mil Clear 1000ct	PBF162020	Flat Bag 16"x 20" 2mil Clear 1000ct
PBF1016125	Flat Bag 10"x 16" 1.25mil Clear 1000ct	PBF153020	Flat Bag 15"x 30" 2mil Clear 500ct
PBF1214125	Flat Bag 12"x 14" 1.25mil Clear 1000ct	PBF162820	Flat Bag 16"x 28" 2mil Clear 500ct
PBF1216125	Flat Bag 12"x 16" 1.25mil Clear 1000ct	PBF162420	Flat Bag 16"x 24" 2mil Clear 1000ct
PBF1218125	Flat Bag 12"x 18" 1.25mil Clear 1000ct	PBF163020	Flat Bag 16"x 30" 2mil Clear 500ct
PBF1414125	Flat Bag 14"x 14" 1.25mil Clear 1000ct	PBF163620	Flat Bag 16"x 36" 2mil Clear 500ct
PBF1416125	Flat Bag 14"x 16" 1.25mil Clear 1000ct	PBF181820	Flat Bag 18"x 18" 2mil Clear 1000ct
PBF1418125	Flat Bag 14"x 18" 1.25mil Clear 1000ct	PBF182020	Flat Bag 18"x 20" 2mil Clear 1000ct
PBF1420125	Flat Bag 14"x 20" 1.25mil Clear 1000ct	PBF182420	Flat Bag 18"x 24" 2mil Clear 500ct
PBF1618125	Flat Bag 16"x 18" 1.25mil Clear 1000ct	PBF183020	Flat Bag 18"x 30" 2mil Clear 500ct
PBF1620125	Flat Bag 16"x 20" 1.25mil Clear 1000ct	PBF183620	Flat Bag 18"x 36" 2mil Clear 500ct
PBF1624125	Flat Bag 16"x 24" 1.25mil Clear 1000ct	PBF184220	Flat Bag 18"x 42" 2mil Clear 500ct
PBF1820125	Flat Bag 18"x 20" 1.25mil Clear 1000ct	PBF184820	Flat Bag 18"x 48" 2mil Clear 250ct
PBF1824125	Flat Bag 18"x 24" 1.25mil Clear 1000ct	PBF202020	Flat Bag 20"x 20" 2mil Clear 500ct
PBF2020125	Flat Bag 20"x 20" 1.25mil Clear 1000ct	PBF202420	Flat Bag 20"x 24" 2mil Clear 500ct
PBF2024125	Flat Bag 20"x 24" 1.25mil Clear 1000ct	PBF222420	Flat Bag 22"x 24" 2mil Clear 500ct
PBF2030125	Flat Bag 20"x 30" 1.25mil Clear 1000ct	PBF223020	Flat Bag 22"x 30" 2mil Clear 500ct
PBF2424125	Flat Bag 24"x 24" 1.25mil Clear 1000ct	PBF203020	Flat Bag 20"x 30" 2mil Clear 500ct
PBF2430125	Flat Bag 24"x 30" 1.25mil Clear 500ct	PBF203620	Flat Bag 20"x 36" 2mil Clear 500ct
PBF2436125	Flat Bag 24"x 36" 1.25mil Clear 500ct	PBF204220	Flat Bag 20"x 42" 2mil Clear 250ct
PBF3036125	Flat Bag 30"x 36" 1.25mil Clear 500ct	PBF204820	Flat Bag 20"x 48" 2mil Clear 250ct
PBF4060125	· ·	PBF242420	Flat Bag 24"x 24" 2mil Clear 500ct
PBF5260125	Flat Bag15291 60" 1.25mil Clear 100ct Email: sales	F98#5426970	FIX TOOCT



Fax: 800-832-9452

Caution Barricade Tape

Printed with an Eye catching 2" high, Continuous repeat message or warning in Bold Black letters on Bright 3-mil non-adhesive tape. Barricade Tape helps alert the Public to stay away from a contained area by increasing the visibility of hazards.





Part#	Description	Case Qty	Case Weight
TCC30325	Tape Caution 3"x 300' Yellow "Caution Caution" 2.5mil	16	18#
TCC310301	Tape Caution 3"x 1000' Yellow "Caution Caution" 3mil 12ct Case	1	39#
TCC31020SP1	Tape Caution 3"x 1000' Yellow "Cuidado Caution" 2mil 12ct Case	1	37#
TCC31030DE1	Tape Caution 3"x 1000' Yellow "Caution Do Not Enter" 3mil 12ct Case	1	39#
TCD310301	Tape Caution 3"x 1000' Red "Danger Danger" 3mil 12ct Case	1	39#
TCD31030DE1	Tape Caution 3"x 1000' Red "Danger Do Not Enter" 3mil 12ct Case	1	39#

Refractive Barricade Tape helps increase the visibility of hazards in both daytime or nighttime conditions. Printed with an eye catching 2" high, continuous repeat message bold black letters followed by refractive night



Part#	Description	Box Qty	Box Weight
TCC31022RF	Tape Caution 3"x 1000' Yellow "Caution" Day/Nite with Refractive Ink 3mil	8	24#
TCD31030RF	Tape Caution 3"x 1000' Red "Danger" Day/Nite with Refractive Ink 3mil	8	24#

Non- Detectable Underground Tape

Color	Code	
Red	RD	Electrical
Orange	OR	Telephone
Green	GR	Sewer Line
Blue	BL	Water Line
Purple	PU	Reclaimed Water
Yellow	YL	Gas

Non- Detectable 4.0 Polyethylene tape Bold 2" Black lettering Specifically designed for underground use. Tape meets or exceeds all industry specs and





Part#	Description		Box Weight
TCUN31000	Underground Non Detectable 3"x 1000' Buried Below	8	38#
TCUN61000	Underground Non Detectable 6"x 1000' Buried Below	4	39#

Detectable Underground Tape

Color	Code	
Red	RD	Electrical
Orange	OR	Telephone
Green	GR	Sewer Line
Blue	BL	Water Line
Purple	PU	Reclaimed Water
Yellow	YL	Gas

Detectable 5 mil Aluminum foil with Print permanently laminated to foil. Meets or exceeds all industry specs and comes in a variety of APWA



Part#	Description			Box Qty	Box Weight
TCUD21000	Underground	Detectable 2"x 1000'	Buried Below	12	36#
TCUD31000	Underground	Detectable 3"x 1000'	Buried Below	8	29#
TCUD61000	Underground	Detectable 6"x 1000'	Buried Below	4	24#

Fax: 800-832-9452



Marking Paint



Marking Paint Inverted spray can for marking roadways comes in a variety of APWA compliant colors

Part#	Description	Box Qty	Box Weight	
MPSB3621	Marking Paint Blue APWA Solvent Based	12	17#	
MPSG3631	Marking Paint Green APWA Solvent-based	12	17#	
MPSO3702	Marking Paint Orange Fluorescent Solvent-based	12	17#	
MPSP3615	Marking Paint Purple Fluorescent Solvent-based	12	17#	
MPSP3622	Marking Paint Hot Pink Fluorescent Solvent-based	12	17#	
MPSR3611	Marking Paint Red APWA Solvent-based	12	17#	
MPSW3900	Marking Paint White APWA Solvent-based	12	17#	
MPSY3823	Marking Paint Yellow APWA Solvent-based	12	17#	
Marking Whiskers				



Marking Whiskers spring back up when run over by, Graders and heavy equipment and lawn mowers. They are easily and conveniently attached to wood stakes or to 60-penny nails (not included). Use them alone or in conjunction with other marking products. APWA color-coded

Part#	Description	Box Qty	Case Weight
MRFWHISKBL	Marking Whiskers Blue 1000ct	1	12#
MRFWHISKOG	Marking Whiskers Orange Glo 1000ct	1	12#
MRFWHISKPG	Marking Whiskers Pink Glo 1000ct	1	12#
MRFWHISKRD	Marking Whiskers Red 1000ct	1	12#
MRFWHISKWH	Marking Whiskers White 1000ct	1	12#
MRFWHISKYL	Marking Whiskers Yellow 1000ct	1	12#

Pennant & Warning Flags



Danger Tear Flags convenient disposable flags made of heavy, 3 mil co-extruded polyethylene material that is perforated for convenient dispensing. Just staple, nail, tape or tie to overhanging loads for a highly visible warning.





Pennant Flags for defining an area perimeter. Common uses for these flags are sporting events, open houses,


Part#	Description	Box Qty	Case Weight
MF1212WARNR	Flag 12"x 12" Red Warning / Lumber 300roll	1	4#
MFPF1218100M	Pennant Flags 12"x 18"x 105' Length OSHA Multi Color Flags	1	
MFPF912100M	Pennant Flags 9"x 12"x 100' Length Multi Color Flags	1	




Fax: 800-832-9452

Marking Flags 18-gauge Steel Wire Staff

Standard Flag Colors GLO Flag Colors





Marking Flags Polyethylene Flags with a sturdy 18 ga steel wire staff Available in 4 different lengths. Custom Flags with your Company Logo, Name or special legends. Available in Solid colors, Glo Colors,



Part#	Description 2" x 3"	Box Qty	Box Weight
MF2315	Marking Flag 2"x 3" 15" 1000ct	1	15#
MFC2315	Marking Flag 2"x 3" 15" Custom Logo 1000ct	1	15#
MF2318	Marking Flag 2"x 3" 18" 1000ct	1	15#
MFC2318	Marking Flag 2"x 3" 18" Custom Logo 1000ct	1	15#
MF2321	Marking Flag 2"x 3" 21" 1000ct	1	15#
MFC2321	Marking Flag 2"x 3" 21" Custom Logo 1000ct	1	15#
Part#	Description 4" x 5"	Box Qty	Box Weight
MF4515	Marking Flag 4"x 5" 15" 1000ct	1	18#
MFC4515	Marking Flag 4"x 5" 15" Custom Logo 1000ct	1	18#
MF4518	Marking Flag 4"x 5" 18" 1000ct	1	18#
MFC4518	Marking Flag 4"x 5" 18" Custom Logo 1000ct	1	18#
MF4521	Marking Flag 4"x 5" 21" 1000ct	1	24#
MFC4521	Marking Flag 4"x 5" 21" Custom Logo 1000ct	1	24#
Part#	Description Extra Long Staff	Box Qty	Box Weight
MF4536	Marking Flag 4"x 5" 36" 1000ct	1	30#
MFC4536	Marking Flag 4"x 5" 36" Custom 1000ct	1	30#
MF5830	Marking Flag 5"x 8" 30" 1000ct	1	30#
MFC5830	Marking Flag 5"x 8" 30" Custom 1000ct	1	30#

Marking Flags PVC Plastic Staff


Standard Flag Colors

GLO Flag Colors










Marking Flags with a sturdy Plastic staff Available in 2 different lengths. Custom Flags with your Company Logo, Name or special legends. Available in Solid

Part#	Description	Box Qty	Box Weight
MFP4518	Marking Flag 4"x 5" 18" Plastic Staff 1000ct	1	17#
MFCP4518	Marking Flag 4"x 5" 18" Custom Plastic Staff 1000ct	1	17#
MFP4521	Marking Flag 4"x 5" 21" Plastic Staff 1000ct	1	21#
MFCP4521	Marking Flag 4"x 5" 21" Custom Plastic Staff 1000ct	1	21#

Fax: 800-832-9452







Striped High Profile Marking Flags are designed to stand out against Solid Color Marking Flags in heavily marked areas. Upon request, we can produce High Profile Marking Flags with Checkerboard or Polka Dot patterns.

Part#	Description	Box Qty	Box Weight
MFST4521PGWH	Marking Flag 4"x 5" 21" White Stripe On Pink GLO Flag 1000ct	1	24#
MFST4521WHBK	Marking Flag 4"x 5" 21" Black Stripe On White Flag 1000ct	1	24#
MFST4521WHBL	Marking Flag 4"x 5" 21" Blue Stripe On White Flag 1000ct	1	24#
MFST4521WHGR	Marking Flag 4"x 5" 21" Green Stripe On White Flag 1000ct	1	24#
MFST4521WHOR	Marking Flag 4"x 5" 21" Orange Stripe On White Flag 1000ct	1	24#
MFST4521WHRD	Marking Flag 4"x 5" 21" Red Stripe On White Flag 1000ct	1	24#
MFST4521YLBK	Marking Flag 4"x 5" 21" Black Stripe On Yellow Flag 1000ct	1	24#



Roll Flagging Ribbon

Solid Flagging Colors



GLO Flagging Colors



Colorful and highly visible Solid & GLO Color roll flagging, Durable,

Part#	Description	Box Qty	Box Weight
MRFT	Roll Flagging 1"x 300' Taffeta -10° Solid Color	12	6#
MRFT	Roll Flagging 1"x 150' Taffeta -10º GLO Color	12	4.5#

Roll Flagging Ribbon




Standard color material = 300' Glo color material = 150' **Striped GLO Combinations**



Striped Color Combinations







Part#	Description	Box Qty	Box Weight
MRFCK	Roll Flagging 1-3/16"x 300' Checkerboard	12	6#
MRFCKG	Roll Flagging 1-3/16"x 150' Checkerboard GLO	12	4.5#
MRFPDO	Roll Flagging 1-3/16"x 300' Polka Dot	12	6#
MRFPDOG	Roll Flagging 1-3/16"x 150' Polka Dot GLO	12	4.5#
MRFSO	Roll Flagging 1-3/16"x 300' Striped	12	6#
MRFSOG	Roll Flagging 1-3/16"x 150' Striped GLO	12	4.5#

Email: sales@glcproducts.com



Fax: 800-832-9452

Hazard Marking Tape

Code	Color
WHRD	White/Red
WHBK	White/Black
YLBK	Yellow/Black

Hazard Warning Tape 6mil pressure sensitive PVC adhesive tape that is striped for high visibility. Tape patterns alternating colors making your high traffic areas more visible for better safety. Excellent



Part#	Description	Case Qty	Weight Each
TPV200	2"x 18yd Floor / Safety Marking Tape	24	0.958
TPV300	3"x 18yd Floor / Safety Marking Tape	16	1.5

Vinyl Marking Tape

Code	Color	Code	Color
RD	Red	BL	Blue
BK	Black	WH	White
GR	Green	YL	Yellow

Vinyl Marking Tape 6mil pressure sensitive PVC adhesive tape that allows you to mark lanes according to OSHA required safety coding. It



Part#	Description	Case Qty	Weight Each
TPV200	Vinyl 2"x 36yd 6mil PVC Tape	24	0.958
TPV300	Vinyl 3"x 36yd 6mil PVC Tape	16	1.5

Non Skid Safety Tape


Use Color-Step solids and stripes to clearly identify various pathways and/or hazardous areas requiring non-slip tape.



Part#	Description	Case Qty	Weight Each	
TCNS20060BK	Tape Non Skid 2"x 60' Black Safe-Step	12	2.67	
TCNS20060RD	Tape Non Skid 2"x 60' Red Safe-Step	12	2.67	
TCNS20060YL	Tape Non Skid 2"x 60' Yellow Safe-Step	12	2.67	
TCNS20060BKY	Tape Non Skid 2"x 60' Black & Yellow Safe-Step	12	2.67	
0.66.5				

Safety Fence

Orange Polypropylene Safety Fencing, Oval Pattern, Chemical & UV Resistant, Remains Flexible in Cold Weather, Roll Size: 4' x 100 Feet



Part#	Description	Case Qty	Case Weight
TCSF48100	Safety Fence 4'x 100' Orange Oval Pattern	4	40#

Fax: 800-832-9452



Cable Ties



NYLON CABLE TIES MADE IN USA These Cable ties are made from 6/6 Virgin Nylon combining Strength, High Service Temperature and a High level of Toughness. Made with a Reinforced permanent locking head for added strength, Bent tip design and raised grips on tail to assist user for easy assembly.

Part#	Description	Case Qty	Weight Each
CT04018BC	Cable Ties 4" 18lb UV 100ct Bag	20M	2# M
CT04018WC	Cable Ties 4" 18lb Natural 100ct Bag	20M	2# M
CT05030BC	Cable Ties 6" 30lb UV 100ct Bag	10M	2# M
CT05030WC	Cable Ties 6" 30lb Natural 100ct Bag	10M	2# M
CT07050BC	Cable Ties 7" 50lb UV 100ct Bag	10M	4# M
CT07050WC	Cable Ties 7" 50lb Natural 100ct Bag	10M	4# M
CT08040WC	Cable Ties 8" 40lb Natural 100ct Bag	10M	4# M
CT11050BC	Cable Ties 11" 50lb UV 100ct Bag	5M	5# M
CT11050WC	Cable Ties 11" 50lb Natural 100ct Bag	5M	5# M
CT14050BC	Cable Ties 14" 50lb UV 100ct Bag	5M	7# M
CT14050WC	Cable Ties 14" 50lb Natural 100ct Bag	5M	7# M
Part#	Description	Case Qty	Weight Each
CT18120BC	Cable Ties 18" 120lb UV Heavy Duty 1000ct Bag	1M	20#
CT18120WC	Cable Ties 18" 120lb White Heavy Duty 1000ct Bag	1M	20#
CT24175BL	Cable Ties 24" 175lb UV Heavy Duty 1000ct	1M	22#
CT24175WL	Cable Ties 24" 175lb Natural Heavy Duty 1000ct	1M	22#
CT36175BL	Cable Ties 36" 175lb UV Heavy Duty Cable Tie 1000ct	1M	25#
CT36175WL	Cable Ties 36" 175lb Natural Heavy Duty Cable Tie 1000ct	1M	25#
CT48175BL	Cable Ties 48" 175lb UV Heavy Duty Cable Tie 1000ct	1M	29#
CT48175WL	Cable Ties 48" 175lb Natural Heavy Duty Cable Tie 1000ct	1M	29#

Length	Bundle Diameter	Tensile strength	Width	Length	Bundle Diameter	Tensile strength	Width
4"	5/8"	18 lb	7/64"	18"	4-7/8""	120 lb	5/16"
5"	1-1/4"	30 lb	1/8"	24"	7-1/4"	175lb	3/8"
7"	1-3/4"	50 lb	3/16"	34"	10"	175 lb	3/8"
11"	3"	50 lb	3/16"	48"	15"	175 lb	3/8"
14"	4"	50 lb	3/16"				
15"	4"	50 lb	3/16"				

28 1-01-2016 Email: sales@glcproducts.com Website: glcproducts.com



Fax: 800-832-9452

Anchor Kits

Plastic Anchor Kits include the following- (100) #10 1/4x 1" Combo head screws, (100) 10-12 Plastic Conical anchors and (1) 1/4"x4" Masonry Bit all in a High Impact Plastic Case. Use in Masonry walls, Brick walls, Concrete or Drywall to fasten, hang or support Pipe, Conduit, or fixtures.



Part#	Description	Case Qty	Weight Box
AFPAK10RDHX	Anchors Kits Plastic #10-12 w/ Hex Head Combo Screws	40	1.05
AFPAK10RDPH	Anchors Kits Plastic #10-12 w/ Philip/slotted Screws	40	1.05

Zip In Anchor Kits

Anchors can be installed directly into drywall with a Philips screw driver or power driver. The metal style can also be driven into plaster.



Part#	Description	Case Qty	Weight Box
AFZIPKTM	Anchors Kits Zip-it Style Metal	20	1.1

Draw Wall Anchors

Draw Anchors designed for hollow wall applications. Made of high-strength nylon Simply fold the anchor flat and insert into a 5/16" drilled hole. The legs are "drawn back" up against the inside of the wall.



Part#	Description	Case Qty	Weight Box
AFZIPKTM	Anchors Kits Zip-it Style Metal	20	1.1

Conical & Ribbed Anchors

Conical Anchors are plug style anchors for medium duty solid wall applications. Perfect for general fastening to concrete, brick, cinder block, plaster, and other solid materials



Grey Barbed Anchors have a lip and is split down the middle with fish-hook-barbs to grip the back of drywall.



Part#	Description	Case Qty	Weight Box
AFPA250RC500	Anchors Plastic Conical Blue 1/4"x 1" 500ct	20	10
AFPA250GR	Anchors Plastic Conical Gray 1/4"x 1" Ribbed With Collar 1000ct	10	10

Fax: 800-832-9452



Reciprocating Blades



8% Cobalt Metal Reciprocating Saw Blades. These extra-tough Bi-Metal professional quality blades are used for metal, plastics, fiberglass, and plaster. The 8% cobalt Matrix II cutting edge is electron-beam welded to a high strength steel backer, for greater wear resistance and longer life, and to give you the sharpest, fastest cuts.

Part#	Description	Box Qty	Box Weight
SBR060650	Reciprocating 6" 6tpi Wood Blade 50pk	1	3
SBR061050	Reciprocating 6" 10tpi Wood Blade 50pk	1	3
SBR061450	Reciprocating 6" 14tpi Metal Blade 50pk	1	3
SBR061850	Reciprocating 6" 18tpi Metal Blade 50pk	1	3
SBR062450	Reciprocating 6" 24tpi Metal Blade 50pk	1	3
SBR090650	Reciprocating 9" 6tpi Wood Blade 50pk	1	3
SBR091850	Reciprocating 9" 18tpi Metal Blade 50pk	1	3
SBR121850	Reciprocating 12" 18tpi Metal Blade 50pk	1	5

Porta Band Blades



Master Cobalt® Bi-Metal Portable Band Saw Blades. Variable pitch teeth on these premium bi-metal portable band saw blades reduces vibration when cutting. Features Matrix II cutting edges and the longest life compared to any competitive blades.

Part#	Description	Box Qty	Box Weight
SBP4414M003	Porta-band 44-7/8" 14/18tpi Master Cobalt Blade 3pk	1	2
SBP4414M100	Porta-band 44-7/8" 14/18tpi Master Cobalt Blade 100pk	1	60
SBP4418B003	Porta-band 44-7/8" 18tpi Bi-metal Blade 3pk	1	2
SBP4418B100	Porta-band 44-7/8" 18tpi Bi-metal Blade 100pk	1	60

Porta Band Blades



Bi-Metal Hacksaw Blades. High speed steel cutting edge with 8% cobalt Heat treated to create harder edge for faster, easier cutting and longer blade life. Made in the USA

Part#	Description	Box Qty	Box Weight
SBHB1214T	Hacksaw 12" 14tpi Bi-metal Blade 100pk Tube	1	4.1
SBHB1218T	Hacksaw 12" 18tpi Bi-metal Blade 100pk Tube	1	4.15
SBHB1224T	Hacksaw 12" 24tpi Bi-metal Blade 100pk Tube	1	4.2



Fax: 800-832-9452

Hole Saws

Master Cobalt® Bi-Metal Hole Saws. This premium line of Professional quality hole saws features an M3 high-speed steel cutting edge, electron beam welded to a tough steel backer. Caps stand up to abuse and punishment, yet are lighter and easier to use than those of competitors. Positive rake tooth design provides better chip clearance as teeth cut into wood, plastic or any machine metal. The 1-1/2" cutting depth cuts easily



Part#	Description		Part#	Description
HS010B	Hole Saw 5/8" Bi-Metal		HS348B	Hole Saw 3" Bi-Metal
HS012B	Hole Saw 3/4" Bi-Metal		HS350B	Hole Saw 3-1/8" Bi-Metal
HS014B	Hole Saw 7/8" Bi-Metal		HS352B	Hole Saw 3-1/4"Bi-Metal
HS116B	Hole Saw 1" Bi-Metal		HS354B	Hole Saw 3-3/8"Bi-Metal
HS118B	Hole Saw 1-1/8" Bi-Metal		HS356B	Hole Saw 3-1/2"Bi-Metal
HS119B	Hole Saw 1-3/16" Bi-Metal		HS358B	Hole Saw 3-5/8" Bi-Metal
HS120B	Hole Saw 1-1/4" Bi-Metal		HS360B	Hole Saw 3-3/4"Bi-Metal
HS122B	Hole Saw 1-3/8" Bi-Metal		HS362B	Hole Saw 3-7/8"Bi-Metal
HS124B	Hole Saw 1-1/2" Bi-Metal		HS464B	Hole Saw 4" Bi-Metal
HS126B	Hole Saw 1-5/8" Bi-Metal		HS466B	Hole Saw 4-1/8" Bi-Metal
HS128B	Hole Saw 1-3/4" Bi-Metal		HS468B	Hole Saw 4-1/4" Bi-Metal
HS130B	Hole Saw 1-7/8" Bi-Metal		HS470B	Hole Saw 4-3/8" Bi-Metal
HS232B	Hole Saw 2" Bi-Metal		HS472B	Hole Saw 4-1/2" Bi-Metal
HS234B	Hole Saw 2-1/8" Bi-Metal		HS476B	Hole Saw 4-3/4" Bi-Metal
HS236B	Hole Saw 2-1/4" Bi-Metal		HS580B	Hole Saw 5" Bi-Metal
HS240B	Hole Saw 2-1/2" Bi-Metal		HS584B	Hole Saw 5-1/4" Bi-Metal
HS242B	Hole Saw 2-5/8" Bi-Metal		HS588B	Hole Saw 5-1/2" Bi-Metal
HS244B	Hole Saw 2-3/4" Bi-Metal		HS592B	Hole Saw 5-3/4" Bi-Metal
□C346B	Holo Saw 2 7/9" Ri Motal	alle e	's & Pilot Bits	Holo Sow 6" Ri Motol

Part#	Description	Case Qty
HSARB38	Arbor 3/8" Hex Use with 9/16" -1-3/16" Hole saws	12
HSARB38P	Arbor 3/8" Hex w/ Pin Drive Design Use with 1-1/4" - 6" Hole saws	12
HSARB716	Arbor 7/16" Hex Use with 1-1/4" - 6" Hole saws	12
HSARB716-1	Arbor 7/16" Hex Use with 9/16" -1-3/16" Hole saws	12
HSARB716P	Arbor 7/16" Hex w/ Pin Drive Design Use with 1-1/4" - 6" Hole saws	12



Part#	Description	Case Qty
HSARD253	Pilot Drill Bit 1/4"x 3-1/16" Short 10pk	1
HSARD254	Pilot Drill Bit 1/4"x 4-1/2" 10pk	1
HSARD254N	Pilot Drill Bit 1/4"x 4-1/2" w/Stepdown Shank 10pk	1



Fax: 800-832-9452



Paint Markers PM-25



General purpose markers that write on almost any surface. Its oil-based paint dries quickly and withstands indoor and outdoor conditions. Makes permanent bright marks on metal, rubber, plastic, glass, concrete, leather, stone, wood, vinyl and more. Valve action mechanism

Part#	Description	Box Qty	Weight Box
PM25BK	Paint Marker PM-25 Black	12	2
PM25BL	Paint Marker PM-25 Blue	12	2
PM25GR	Paint Marker PM-25 Green	12	2
PM25OR	Paint Marker PM-25 Orange	12	2
PM25RD	Paint Marker PM-25 Red	12	2
PM25WH	Paint Marker PM-25 White	12	2
PM25YL	Paint Marker PM-25 Yellow	12	2

Paint Markers MM-99



Mighty Metal Markers MM-99 are equipped with a precision stainless steel ball writing tip that glides effortlessly on any surface. Marks are bright opaque and sharply defined. They will withstand extreme weather conditions, washing, oil, grease or rubbing without losing

Part#	Description	Box Qty	Weight Box
PMDALOR	Paint Marker MM-99 Orange Medium 3/32" Tip	12	2
PMDALRD	Paint Marker MM-99 Red Medium 3/32" Tip	12	2
PMDALWH	Paint Marker MM-99 White Medium 3/32" Tip	12	2
PMDALYL	Paint Marker MM-99 Yellow Medium 3/32" Tip	12	2

Paint Markers MM-99



32

Solid Markers It's paint in an easy to use stick form. Permanent. Quick drying. Great for outdoor use. Great for all weather conditions & most surfaces. Writes on smooth, rough, oily and wet surfaces. Works on Asphalt, concrete, masonry, windshields/glass, plexiglass, lumber, cardboard, PVC pipe, plastic tubing, steel plates, beams, sheet metal, shrink wrap and plastic sheeting.

Part#	Description	Box Qty	Weight Box
PMSAKWH	Paint Marker Sakura White Solid	12	2
PMSAKYL	Paint Marker Sakura Yellow Solid	12	2

1-01-2016 Email: sales@glcproducts.com Website: glcproducts.com



Fax: 800-832-9452

Extension Cords

12 gauge 3 wire UL listed Round extension cord. Single outlet cord, 3 conductor grounded, with solid molded power ends. Super capacity with 12 gauge wire,15 amps, and 125 Volts. Sunlight and weather resistant flexible at most temperatures. Resistant to oils, grease and chemicals. Non marking cord, with superior abrasion, tear and puncture resistance.





Part#	Description	Case Qty	Weight Box
EXT50123RDAW	Extension Cord 50' 12/3 Blue EXTREME All-Weather Round UL Listed	6	64
EXT50123RD	Extension Cord 50' 12/3 Round UL Listed	8	64

Rubber Air Hose

3/8" Black or Yellow Rubber Air Hose- Made in USA 3/8"I.D. with 1/4" male NPT Brass barbed fittings. 300psi heavy duty hose with 800psi burst. Sunlight and weather resistant, highly flexible rubber, will not crack or kink, superior flex and roll-up in most types of weather. Resistant to oils, grease and solvents. Superior abrasion and puncture resistance.



Part#	Description	Case Qty	Weight Box
HAA375025BG	3/8"x25' Black Rubber Air Hose Goodyear	6	30
HAA375050BG	3/8"x50' Black Rubber Air Hose Goodyear	5	45
HAA375100BG	3/8"x100' Black Rubber Air Hose Goodyear	3	30
HAA375050YG	3/8"x50' Yellow Rubber Air Hose Goodyear	5	45
HAA375100YG	3/8"x100' Yellow Rubber Air Hose Goodyear	3	30



IronFlex Air Hose


Ironflex Braided Polyurethane Air hose Super light, Ultra Flexible and Extra tough to resist Abrasion & Oil. Great for Elevated Applications like Roofing and



Part#	Description	Case Qty	Weight Box
HAA250050IF	1/4"x 50' Ironflex Braided Polyurethane Blue Air Hose	10	20
HAA250100IF	1/4"x 100' Ironflex Braided Polyurethane Blue Air Hose	5	10
HAA375050IF	3/8"x 50' Ironflex Braided Polyurethane Blue Air Hose	10	20
HAA375100IF	3/8"x 100' Ironflex Braided Polyurethane Blue Air Hose	5	10

Twin Line Welding Hose

Welding Hose Flexible Twin-line standard green and red commonly related to acetylene and oxygen welding hoses. All hose come complete with universal fittings for all makes of torches and regulators.





Fax: 800-832-9452



Straight Pipe Wrench



Heavy Duty Iron Pipe Wrenches have I-Beam handles for proven strength and durability without excess weight. Full floating jaws have spring suspension for fast grip and release. Replaceable jaws are made of tough heat-treated alloy

Part#	Description	Box Qty	Weight Ea.
WRPW4510	Wheeler Rex 10" Straight Pipe Wrench 1" Pipe Max	6	2
WRPW4514	Wheeler Rex 14" Straight Pipe Wrench 2" Pipe Max	6	3
WRPW4518	Wheeler Rex 18" Straight Pipe Wrench 2-1/2" Pipe Max	6	4
WRPW4524	Wheeler Rex 24" Straight Pipe Wrench 3" Pipe Max	4	10
WRPW4536	Wheeler Rex 36" Straight Pipe Wrench 5" Pipe Max	1	19
WRPW4548	Wheeler Rex 48" Straight Pipe Wrench 6" Pipe Max	1	34

Aluminum Pipe Wrench



Aluminum Straight Pipe Wrenches Wheeler Rex brand Manufactured to U.S. Specifications GGG-W-651e Type II Class C

Part#	Description	Box Qty	Weight Ea.
WRPW4414	Wheeler Rex 14" Aluminum Pipe Wrench 2" Pipe Max	6	2.7
WRPW4418	Wheeler Rex 18" Aluminum Pipe Wrench 2-1/2"" Pipe Max	6	3.75
WRPW4424	Wheeler Rex 24" Aluminum Pipe Wrench 3" Pipe Max	6	5.85
WRPW4436	Wheeler Rex 36" Aluminum Pipe Wrench 5" Pipe Max	4	12.86

End Iron Pipe Wrench



Heavy Duty End Iron Pipe Wrenches Wheeler Rex Brand Manufactured to U.S. Specifications GGG-W-651e Type VI

Part#	Description	Box Qty	Weight Ea.
WRPW4710	Wheeler Rex 10" End Iron Pipe Wrench 1-1/2" Pipe Max	6	2
WRPW4714	Wheeler Rex 14" End Iron Pipe Wrench 2"" Pipe Max	6	3
WRPW4718	Wheeler Rex 18" End Iron Pipe Wrench 2-1/2" Pipe Max	6	4
WRPW4724	Wheeler Rex 24" End Iron Pipe Wrench 3" Pipe Max	4	10

Self-Adjusting Pipe Wrench



CrV Jaws Drop Forged Head Malleable Cast Iron Body Designed With Fewer Moving Parts Self Adjusting Quick Release Function Works Well in Confined Areas

Part#	Description	Box Qty	Weight Ea.
TXWP03407A	14" Self Adjust Pipe Wrench – 2" max	16	3.75
TXWP03408A	18" Self Adjust Pipe Wrench - 2-3/8" max	12	5
TXWP03409A	24" Self Adjust Pipe Wrench – 2-3/4" max	8	7

Fax: 800-832-9452

Channel Lock & Vise Grips

Tongue & Groove Channel Lock Plier

Channel Lock Straight Jaw Tongue and Groove Pliers constructed with high-carbon C1080 steel, heat-treated teeth for strong nonslip jaw action. Undercut tongue-and-groove fabrication allows this HD tool to perform without slipping,



Part#	Description	Box Qty	Weight Ea.
TXWCL420	Channel Lock Grove Joint Pliers 9.5" 1-1/2" max	1	1
TXWCL440	Channel Lock Grove Joint Pliers 12" 2-1/4" max	1	1
TXWCL460	Channel Lock Grove Joint Pliers 16" 4-1/4" max	1	1

Channel Lock 5pc Tool Roll Set

CLTR1 Contains * 317-8" long nose plier * 420-9.5" tongue & groove plier * 447-7.75" curved diagonal plier * 526-6" slip joint

CLTR3 Contains * 430-10" tongue & groove plier * 420-9.5" tongue & groove plier * 337-7" cutting plier * 3017-7.5" long nose plier * 526-6" slip joint plier



Part#	Description	Box Qty	Weight Ea.
TXWCLTR1	Channel Lock Tool roll up set 5pc CL-TR-1	1	1
TXWCLTR3	Channel Lock Tool roll up set 5pc CL-TR-3	1	1

Original Vise Grips

Self-energizing lower jaw provides three times more gripping power, with no slipping or stripping on any

Makes bending, forming, and crimping sheet metal jobs easier. Constructed of high-grade heat-treated



Part#	Description	Box Qty	Weight Ea.
TXVG4935578	Vise Grip 7" Curved Jaw 1-1/2"	5	.88
TXVG4935576	Vise Grip 10" Curved Jaw 1-7/8"	5	1
TXVG06SP	Vise-Grip 6-Inch Locking Clamp with Swivel Pads 2-1/8" Deep	5	.6
TXVG11SP	Vise-Grip 11-Inch Locking Clamp with Swivel Pads 4" Deep	1	1.9
TXVG20R	Vise-Grip 9" Locking Chain Clamp	1	1.80
TXVG8R	Vise Grip 8" Locking Sheet Metal Tool	1	.6
TXVG9R	Vise Grip 9" Locking Welding Clamp 2-3/4"	1	1.5

Fax: 800-832-9452



Screw Driver Set



8p/c Pro-Series Grade– Big soft comfort grip handles. Dual coated material handle with a hard plastic core to protect sensitive components. These handles are ergonomically designed, allowing sustained high torque with minimal slippage and muscle fatigue, the hardened steel blackened Chrome Vanadium blades and hardened magnetic tips are heat treated for added strength. Set Contains Slotted Magnetic screwdrivers 3/16"x 3", 1/4"x 4", 5/16"x 6", 3/8"x 8", 1/4"x 1-1/2" Stubby

Part#	Description	Box Qty	Weight Box
TXSD8PGS	8p/c Screw Driver Set Pro Grade Orange Soft Handle Magnetic Tip	6	30

Duo-Metric Socket Set





38 pc Duo Metric Combination Impact Socket Set. They focus on the sidewall of the nut or bolt, not the corners. This means it will give you 75% more torque on everything you put it on. Also if you have a nut or bolt that the corners have been rounded off it will

Part#	Description	Case Qty	Weight Box
TXSK0375C38D	3/8" & 1/2" Dr. 38pc Duo-Metric Combo Impact Socket Set	6	30

Groove Joint Pliers



Groove joint pliers with parallel action jaws have an accurately machined joint which will not slip under work load, on pieces of varying shapes. Plastic coated handles for better gripping comfort. Parallel, hardened jaws with pipe grip jaws and anti-rust protection finish. The jaws grip parallel in all positions up to maxi-

Part#	Description	Case Qty	Weight Ea.
TXWGJ02119A	Groove Joint Pliers 12"	36	51
TXWGJ02120A	Groove Joint Pliers 16"	18	60
TXWGJ02121A	4pc Groove Joint Pliers Set 6", 8", 10" and 12"	12	40

36 1-01-2016 Email: sales@glcproducts.com Website: glcproducts.com



Fax: 800-832-9452

Poly Rope

Yellow or Black Polypropylene Rope Most economical. Polypropylene is very light and floatable. Low stretch, High resistance to chemicals,

Part#	Description	Box Qty	Weight Ea.
RT0251200PY	Rope 1/4"x 1200' Yellow Poly	4	14
RT0251200PBK	Rope 1/4"x 1200' Black Poly	1	14
RT0251000PYHB	Rope 1/4"x 1000' Yellow Hollow Braided Poly	1	9
RT0380600PY	Rope 3/8"x 600' Yellow Poly	1	16



Poly Truck Rope

Black /Orange Poly Truck Rope Most economical. Polypropylene is very light

Part#	Description	Box Qty	Weight Ea.
RT0380600PBO	Rope 3/8"x 600' Black/Orange Poly Truck	2	17
RT0500600PBO	Rope 1/2"x 600' Black/Orange Poly Truck	1	27
RT0580600PBO	Rope 5/8"x 600' Black/Orange Poly Truck	1	46
RT0750600PBO	Rope 3/4"x 600' Black/Orange Poly Truck	1	60
RT1000600PBO	Rope 1"x 600' Black/Orange Poly Truck	1	117



Manila Rope

Manila Rope Low stretch, Holds knots well. Resistant to UV rays Does not melt on contact with hot wires. Natural color only

Part#	Description	Box Qty	Weight Ea.
RT0251200MN	Rope 1/4"x 1200' Natural Manila	1	22
RT0380600MN	Rope 3/8"x 600' Natural Manila	1	24
RT0500600MN	Rope 1/2"x 600' Natural Manila	1	45



Nylon Rope

3-Strand Twisted Nylon Rope Stretches 40% before breaking, Resists chemicals and abrasion, Splice able, For docking, Anchoring or Pulling.



Part#	Description	Box Qty	Weight Ea.
RT0250600NT	Rope 1/4"x 600' Nylon Twisted 3 Strand	1	10
RT0380600NT	Rope 3/8"x 600' Nylon Twisted 3 Strand	1	22
RT0500600NT	Rope 1/2"x 600' Nylon Twisted 3 Strand	1	36

Fax: 800-832-9452



Twine



Split film twine synthetic abrasion resistant polypropylene filament. Twine is designed to be used in both machine and hand operations where soft construction and strong knot holding is desired.

Part#	Description	Case Qty	Weight Ea.
RTTP000550W	Twine Poly 550' White Tying Twine 4ct box	1	1

Twine



Split film twine synthetic abrasion resistant polypropylene filament. Twine is designed to be used in both machine and hand operations where soft construction and strong knot holding is desired.

Part#	Description	Case Qty	Weight Ea.
RTTN180550P	Twine Nylon 8oz Fluorescent Pink #18 550' 12 pack	1	4
RTTN180550Y	Twine Nylon 8oz Fluorescent Yellow #18 550' 12 pack	1	4

Bungee Cords



Nylon Bungee Cords Elastic design provides constant tension and firm hold. Spring steel coated hooks & woven polyester strap cover.

Part#	Description	Case Qty	Weight Ea.
RTB18C	Straps 18" Bungee Cord HD with Hooks	144	0.32
RTB24C	Straps 24" Bungee Cord HD with Hooks		0.39
RTB36C	6C Straps 36" Bungee Cord HD with Hooks		0.47
RTB48C	TB48C Straps 48" Bungee Cord HD with Hooks		0.59

Rubber Straps



38

Straps EPDM construction has outstanding heat, ozone and weather resistance and maintains elasticity in all weather Quick attach to small holes

Part#	Description	Case Qty	Weight Ea.
RTB15R	Straps 15" Rubber with Hooks Imported	200	0.18
RTB21R	Straps 21" Rubber with Hooks Imported	100	0.27
RTB31R	Straps 31" Rubber with Hooks Imported	100	0.35
RTB41R	Straps 41" Rubber with Hooks Imported	100	0.4

1-01-2016 Email: sales@glcproducts.com Website: glcproducts.com



Fax: 800-832-9452

Chain

Binder Chain with Clevis hooks. Binder chain is rated Grade 43 meets or exceed DOT regulations, and are completely zinc plated to resist the elements. Binder Chains are the most common securements used on flat beds. Not for overhead lifting.

Part#	Description		Weight Ea.
RT50909A	O9A Chain 3/8"x 20' G43 Binder Type with Clevis hooks		31
RT50912A Chain 5/16"x 20' G43 Binder Type with Clevis hooks		4	18



Load Binder

Load Binder Drop forged carbon steel and heat treated

Part#	Description	Case Qty	Weight Ea.
RTCB02209	Chain 1/2" Load Binder Drop forged steel, heat treated	5	9.4



Ratchet Straps

Part#	Description	Case Qty	Weight Ea.
RTRS12027F	Ratchet Strap 2"x 27' Flat Hook 10,000lbs	10	6.7
RTRS12027J	RTRS12027J Ratchet Strap 2"x 27' J Hook 10,000lbs		6.7
RTRS14030F	Ratchet Strap 4"x 30' Flat Hook 5500lbs	3	15.6



Load Straps

Part#	Description	Case Qty	Weight Ea.	
RTRS4530FH	Winch Strap 4"x 30' Strap with Flat Hook Yellow 5500LB	10	6	
RTRS4530V	RS4530V Winch Strap 4"x 30' Strap with V Ring Yellow 5500LB			
RTRS4630F Winch Strap 4"x 30' Heavy Duty Strap with Flat Hook 10 6				
RTRS9525-2S	Strap Winch Low Profile Portable Winch w/Bolts	5	9.5	





Van Interior Straps

Part#	Description	Case Qty	Weight Ea.
RTRS2360-12-SE	Cam Strap 2"x 12' Yellow E Fittings	12	1.5
RTRS2360-16-SE	Cam Strap 2"x 16' Gray E Fittings	12	1.6
RTRS2360-20-SE	Cam Strap 2"x 20' Blue E Fittings	12	1.7



Fax: 800-832-9452




Poly Tarps





Blue Poly Regular Duty weight (120g/sq m) with durable aluminum grommets. Reinforced edges & corners for secure tie-down Washable and shrink-proof, Water & mildew proof, Sturdy, tear & rot-resistant 3-ply construction Sold by the case



Also available in Silver color Sold by the case

Part#	Description Blue Poly Tarp	Part#	Description Green Heavy Duty Poly Tarp
TARPB0608	Blue Poly 6'x 8' Finish Size 5'-6" x 7'-6" 30ct	TARPG1012	Green Poly 10'x 12' HD Finish Size 9'-4" x 11'-6" 12ct
TARPB0810	Blue Poly 8'x 10' Finish Size 7'-6" x 9'-6" 25ct	TARPG1020	Green Poly 10'x 20' HD Finish Size 9'-4" x 19'-6" 7ct
TARPB0912	Blue Poly 9'x 12' Finish Size 8'-4" x 11'-6" 20ct	TARPG1216	Green Poly 12'x 16' HD Finish Size 11'-4" x 15'-6" 8ct
TARPB1012	Blue Poly 10'x 12' Finish Size 9'-4" x 11'-6" 15ct	TARPG1220	Green Poly 12'x 20' HD Finish Size 11'-4" x 19'-6" 6ct
TARPB1020	Blue Poly 10'x 20' Finish Size 9'-4" x 19'-6" 8ct	TARPG1224	Green Poly 12'x 24' HD Finish Size 11'-4" x 23'-6" 5ct
TARPB1216	Blue Poly 12'x 16' Finish Size 11'-4" x 15'-6" 9ct	TARPG1620	Green Poly 16'x 20' HD Finish Size 15'-3" x 19'-6" 5ct
TARPB1220	Blue Poly 12'x 20' Finish Size 11'-4" x 19'-6" 7ct	TARPG1824	Green Poly 18'x 24' HD Finish Size 17'-3" x 23'-6" 3ct
TARPB1224	Blue Poly 12'x 24' Finish Size 11'-4" x 23'-6" 5ct	TARPG2020	Green Poly 20'x 20' HD Finish Size 19'-1" x 19'-5" 3ct
TARPB1620	Blue Poly 16'x 20' Finish Size 15'-3" x 19'-6" 5ct	TARPG2024	Green Poly 20'x 24' HD Finish Size 19'-1" x 23'-5" 3ct
TARPB1824	Blue Poly 18'x 24' Finish Size 17'-3" x 23'-6" 5ct	TARPG2030	Green Poly 20'x 30' HD Finish Size 19'-1" x 29'-4" 2ct
TARPB2020	Blue Poly 20'x 20' Finish Size 19'-1" x 19'-5" 5ct	TARPG2040	Green Poly 20'x 40' HD Finish Size 19'-1" x 39'-3" 2ct
TARPB2024	Blue Poly 20'x 24' Finish Size 19'-1" x 23'-5" 4ct	TARPG2430	Green Poly 24'x 30' HD Finish Size 23'-1" x 29'-4" 2ct
TARPB2030	Blue Poly 20'x 30' Finish Size 19'-1" x 29'-4" 3ct	TARPG2436	Green Poly 24'x 36' HD Finish Size 23'-1" x 35'-4" 2ct
TARPB2040	Blue Poly 20'x 40' Finish Size 19'-1" x 39'-3" 2ct	TARPG2450	Green Poly 24'x 50' HD Finish Size 23'-1" x 49'-2" 1ct
TARPB2430	Blue Poly 24'x 30' Finish Size 23'-1" x 29'-4" 2ct	TARPG2640	Green Poly 26'x 40' HD Finish Size 25'-0" x 39'-4" 1ct
TARPB2436	Blue Poly 24'x 36' Finish Size 23'-1" x 35'-4" 2ct	TARPG3030	Green Poly 30'x 30' HD Finish Size 29'-0" x 29'-4" 2ct
TARPB2640	Blue Poly 26'x 40' Finish Size 25'-0" x 39'-4" 2ct	TARPG3040	Green Poly 30'x 40' HD Finish Size 29'-0" x 39'-3" 1ct
TARPB3030	Blue Poly 30'x 30' Finish Size 29'-0" x 29'-4" 2ct	TARPG3050	Green Poly 30'x 50' HD Finish Size 29'-0" x 49'-2" 1ct
TARPB3040	Blue Poly 30'x 40' Finish Size 29'-0" x 39'-3" 2ct	TARPG3060	Green Poly 30'x 60' HD Finish Size 29'-0" x 59'-1" 1ct
TARPB3050	Blue Poly 30'x 50' Size 29'-0" x 49'-2" 1ct	TARPG4040	Green Poly 40'x 40' HD Finish Size 38'-8" x 39'-3" 1ct
TARPB3060	Blue Poly 30'x 60' Size 29'-0" x 59'-1" 1ct	TARPG4050	Green Poly 40'x 50' HD Finish Size 38'-8" x 49'-1" 1ct
TARPB4040	Blue Poly 40'x 40' Size 38'-8" x 39'-3" 1ct	TARPG4060	Green Poly 40'x 60' HD Finish Size 38'-8" x 59'-1" 1ct
TARPB4050	Blue Poly 40'x 50' Size 38'-8" x 49'-2" 1ct		
TARPB4060	Blue Poly 40'x 60' Size 38'-8" x 59'-1" 1ct		
TARPB5050	Blue Poly 50'x 50' Size 48'-5" x 49'-1" 1ct		
TARPB60100	Blue Poly 60'x 100' Size 58'-3" x 98'-5" 1ct		

40 1-01-2016 Email: sales@glcproducts.com Website: glcproducts.com



Fax: 800-832-9452

Email: sales@glcproducts.com

Website: glcproducts.com

41